



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Glass formation, structure and ionic conductivity in the AgI-Ag₃PS₄ pseudo-binary system

Qiao, A.; Tao, H.Z.; Ren, J.J.; Wang, P.P.; Yue, Yuanzheng

Published in:
The 24th International Congress on Glass - Abstracts

Creative Commons License
Unspecified

Publication date:
2016

Document Version
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Qiao, A., Tao, H. Z., Ren, J. J., Wang, P. P., & Yue, Y. (2016). Glass formation, structure and ionic conductivity in the AgI-Ag₃PS₄ pseudo-binary system. In *The 24th International Congress on Glass - Abstracts* (pp. 302). International Commission on Glass (ICG).

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Glass formation, structure and ionic conductivity in the AgI-Ag₃PS₄ pseudo-binary system

A. Qiao¹, H.Z. Tao¹, J.J. Ren², P.P. Wang¹, Y.Z. Yue^{1,3}

¹State Key Laboratory of Silicate Materials for Architectures, Wuhan University of Technology, Wuhan 430070, China

²Shanghai Institute of Optics and Fine Mechanics, Chinese Academy of Sciences, Shanghai 201800, China

³Department of Chemistry and Bioscience, Aalborg University, 9220 Aalborg, Denmark

qiaoang@whut.edu.cn

High-energy mechanical milling is a new technique for preparing amorphous materials¹⁾, especially, used for fabricating superionic conductors with high ionic conductivity and low electronic conductivity. Among these superionic conductors, sulfide glass systems have shown higher ionic conductivity than their oxide counterparts²⁾. In this presentation, we report the glass formation of the xAgI-(1-x)Ag₃PS₄ (x is from 0 to 0.8) system under high-energy ball-milling conditions. These new types of glasses have never been prepared by the conventional melt-quenching technique. By means of Raman spectroscopy and solid-state magic angle spinning-nuclear magnetic resonance (MAS-NMR), we have studied both the short-range and the intermediate-range order structures of these new types of glasses, and their impact on the ionic conductivity. The complex impedance spectra show that the xAgI-(1-x)Ag₃PS₄ glassy system have relatively high room temperature ionic conductivity. It is found that a significant increasing turning in ionic conductivity with increasing x, indicting an intriguing evolution in structure in this series of glassy system. By exploring the short-range and the intermediate-range order structures and their relationship with ionic conductivity in this pseudo-binary glassy system, we reveal the mechanism of formation and evolution of the pathway for Ag⁺ ion moving. These glasses can be used as the superionic conductor, which is expected to have promising applications in the field of solid state electrolytes.

Acknowledgements: NSFC (Nos.51372180), NSF of Hubei Province (No.2013CFA008), and the key technology innovation project of Hubei Province (Nos.2013AEA005).

1) M. Descamps, A. Aumelas, S. Desprez, J. Willart, The amorphous state of pharmaceuticals obtained or transformed by milling: Sub-*T_g* features and rejuvenation, *Journal of Non-Crystalline Solids*, 407 (2015) 72-80.

2) S. Ujiie, A. Hayashi, M. Tatsumisago, Structure, ionic conductivity and electrochemical stability of Li₂S-P₂S₅-LiI glass and glass-ceramic electrolytes, *Solid State Ionics*, 211 (2012) 42-45.